Index

SUBJECTS

Acne in renal transplantation treated with cyclosporin A (Correspondence), 396
Acne in women and anti-androgen treatment, 705
Acne, role of squalene, squalene oxidation, 535
Acne, role of squalene, squalene oxides on surface and comedones, 543
Acne vulgaris, IgG subclasses, 349
Acne vulgaris therapy evaluated, 353
Acne vulgaris, topical azelaic acid and oral tretracycline compared, 493
Actinic keratoses and cytotoxic drugs (Correspondence), 639
Actinic reticuloid syndrome with photosensitivity, 47
Ageing skin studied electronmicroscopically, 329
AIDS, early warning skin signs, 419
Alopecia areata, hair cycle dynamics, 337
Alopecia in syphilis (Case Report), 718
Amiodarone and changes in blood and skin, 189
Amoebiasis, giardiasis and erythema nodosum (Correspondence), 394
Amyloidosis, bullous (Correspondence), 264
Aneuploidy in Bowen's disease, 691
Anthralin inflammation, site variation, 609
Anthralin, short contact therapy in psoriasis, 235
Anti-androgen treatment in female acne, 705
Aphthous ulcers, oral and vulvar (Case Report), 723
Apocrine and sebaceous glands isolated, 181
Arachidonic acid metabolism in psoriatic blood cells, 553
Arachidonic acid metabolism in psoriatic leukocytes, 57
Aromatic retinoid effect on epidermal cells, 285
Atopic dermatitis and recurrent viral infections, 575
Atopic eczema, egg and milk exclusion diets, 117
Atopic patients reacting to skin testing with inhalant allergens, 303
Azapropazone and methotrexate, 733
Azelaic acid compared with tetracycline in acne, 493
Azelaic acid topically and melanoma, 685

BE2 monoclonal antibody and T-cell lymphoma, 677
Behçet's disease, heritability (Correspondence), 748
Behçet's disease, heritability (Correspondence Reply), 748
Beta-adrenergic adenylate cyclase response increased by PUVA, 413
Blanching assay human skin (Correspondence Reply), 637
Blanching of skin assay (Correspondence), 636
Bone dependent nail formation, 371
Book reviews:
Chemical Safety Regulation and Compliance. Edited by F.HOMBURGER and J.K.MARQUIS, 270
Clinical Dermatology: A Colour Guide to Diagnosis and Therapy. THOMAS P.HABIF, 524
Contact Allergy: Predictive Tests in Guinea-Pigs (Current Problems in Dermatology, Volume 14). Edited by K.E.ANDERSEN and H.I.MAIBACH, 525
Control of Sexually Transmitted Diseases. WORLD HEALTH ORGANISATION, 270
Handbook of Paediatric Dermatology. J.HARPER, 525
Illustrated Encyclopaedia of Dermatology. L.FRY, F.T.WOJNAROWSKA and P.SHAHRAD, 398
Plant Contact Dermatitis. CL.BENEZRA, G.DUCOMBS, Y.SELL and J.FOUSSEREAU, 523
Practical Genetic Counselling. P.S.HARPER, 524
Psoriasis. Edited by H.H.ROENIGK, JR. and H.I.MAIBACH, 526
Searching the Medical Literature: A Guide to Printed and Online Sources. J.WELCH and T.A.KING, 398
The Urticarias. Edited by R.H.CHAMPION, M.W.GREAVES, A.KOBZA BLACK and R.J.PYE, 523
Topics in Topicals. R.MARKS, 398
1985 Yearbook of Dermatology Edited by ARTHUR J.SOBER and THOMAS B.FITZPATRICK, 270
Bowen's disease and aneuploidy, 691
Bullous amyloidosis (Correspondence), 264
Bullous pemphigoid and AIDS (Correspondence), 635
Bullous pemphigoid and epidermolysis bullosa antigens, 651
Bullous pemphigoid and psoriasis (Correspondence), 516

Calcitonin gene-related peptide in skin, 37
Carbon dioxide laser for plaque psoriasis, 489
Cartilaginous naevus on the glabella (Correspondence), 516
Chlamydia trachomatis, Neisseria gonorrhoeae and herpes simplex virus and enzyme immunoassay (Summary), 728
Chlamydial infections, culture methods compared (Summary), 727
Chronic granulomatous disease and lupus erythematous-like lesions, 251
Cold urticaria and virus infections, 311
Complement C3a, C4a and C5a in psoriasis and pustular dermatoses, 1
Crohn's disease of the vulva (Case Report), 721
Cyclosporin A for acne in a renal transplant patient (Correspondence), 396
Cyclosporin A in severe psoriasis, 615

Dapsone therapy for oral-genital ulceration (Correspondence), 640
Dapsone therapy for oral-genital ulceration (Correspondence Reply), 641

Degos' disease, a familial and benign course (Correspondence), 134
D-penicillamine-induced pseudoxanthoma elasticum-like skin, 381
Dermal papilla cell lines, 425
Dermatitis herpetiformis (Correspondence), 265
Dermatitis herpetiformis (Correspondence), 266
Dermatitis herpetiformis, proteolytic enzymes in blister fluid, 293
Diane therapy and conception (Correspondence), 516
Dicarboxylic acids, effects on cultured melanocytes, 17
Dithranol therapy, short contact (Correspondence), 518
Dithranol therapy, short contact (Correspondence Reply), 519

Egg and milk exclusion diets in atopic eczema, 117
Eosinophilic pustular folliculitis and chemotaxis, 209
Epidermal hyperproliferation and leukotriene B_4, 409
Epidermal kinetic homeostasis, 645
Epidermal peridermal granule studies, 431
Epidermalization *in vitro*, a new method for study, 91
Epidermolysis bullosa acquista and bullous pemphigoid antigens, 651
Erythema nodosum, amoebiasis and giardiasis (Correspondence), 394
Erythemal response to UVR in polymorphic light eruption, 103
Erythromelanosis follicularis faciei in women (Correspondence), 267
Etretinate and epidermal cell production, 285
Etretinate and hyperlipidaemia, 401
Etretinate in keratoacanthoma, immunological findings, 109

Familial malignant atrophic papulosis (Degos') disease, genetic and benign (Correspondence), 134

Gamma-glutamyl transpeptidase activity in normal and neoplastic epithelium, 459
Giardiasis, amoebiasis and erythema nodosum (Correspondence), 394
Goeckerman therapy in psoriasis, effect on interferon, 217
Graft-versus-host disease, 139
Graft-versus-host disease, cutaneous immunological studies, 7
Granulomatous disease, chronic, and LE-like lesions, 251

Hair follicles and dermal papilla cell lines, 425
Hair weathering in trichothiodystrophy, 591
HB8, a monoclonal antibody for elastic microfibrils, 661
Herpes simplex virus, *Neisseria gonorrhoeae* and *Chlamydia trachomatis* and enzyme immunoassay (Summary), 728
Herpetiform napkin dermatitis (Correspondence), 746
HLA-DR expression on keratinocytes in diseased skin, 465
HLA DR1 and lichen planus, 473
House dust mite exposure and skin mast cells, 65
Hydroquinone concentrations in skin lightening creams, 501
Hyperdiploid cells in skin infiltrates (Correspondence), 136
Hyperhidrosis and iontophoresis, 485
Hyperlipidaemia from isotretinoin and etretinate, 401

Ichthyotic epidermal cell production and etretinate, 285
IgA paraproteinaemia, pyoderma gangrenosum and subcorneal pustular dermatosis, 125
IgG subclasses in acne vulgaris, 349
Immunohistochemical staining of sweat glands, 441
Immunosuppression and UVL, 197
Infrared coagulator, precise dermal damage, 603
Inhalant allergens in atopic eczema, 303
Interferon effect on human keratinocytes, 273
Intraconazole in pityriasis versicolor, 701
Involucrin and transglutaminase in psoriatic skin, 279
Iontophoresis for hyperhidrosis, 485
Iron removal therapy, phlebotomy and desferrioxamine compared, 621
Isotretinoin, etretinate and hyperlipidaemia, 401

Jackson-Lawler type of pachyonychia congenita, 367

Keratinocytes, cultured, and pemphigus antibody, 171
Keratoacanthoma treated with etretinate, immunological findings, 109

Langerhans cell ATPase staining and treatment with immunosuppressants, 83
Lectin-binding in sweat glands, 451
Leg ulcers, two bandages compared, 227
Leishmaniasis, cutaneous (Correspondence), 745
Leishmaniasis, cutaneous (Correspondence Reply), 746
Leukotriene B_4 and epidermal hyperproliferation, 409
Lichen aureus (Correspondence), 395
Lichen planus and HLA DR1, 473
Lichen sclerosus et atrophicus and primary biliary cirrhosis (Correspondence), 514
Lichen sclerosus et atrophicus and primary biliary cirrhosis (Correspondence Reply), 515
Lichen sclerosus et atrophicus in twin girls, 377
Light sensitivity and mycosis fungoides (Correspondence), 642
Lightening creams, hydroquinone concentration, 501
Lipoatrophy, localized, histopathology, 27
Liver ultrasound screening with methotrexate therapy (Correspondence), 749

Macrophotography of the skin simplified (Correspondence), 135
Marrow transplantation and histological skin changes, 161
Marrow transplants and mononuclear cell subpopulations, 145
Mast cell increase in skin following exposure to house dust mite, 65
Megaloblastic anaemia and methotrexate (Correspondence), 267
Melanocytes, normal and malignant and dicarboxylic acids, 17
Melanoma and topical azelaic acid, 685
Melanoma, late metastases, 737
Melanoma of the nail, 389

Melanonychia during photochemotherapy (Correspondence), 395
Methotrexate and megaloblastic anaemia (Correspondence), 268
Methotrexate therapy and liver ultrasound screening (Correspondence), 749
Methotrexate toxicity and azapropazone, 733
Metronidazole in rosacea and anti-oxidant action, 231
Microabscesses induced by leukotriene B_4, 409
Milk and egg exclusion diets in atopic eczema, 117
Mite, house dust, exposure and skin mast cells, 65
Mononuclear cell subpopulations in the skin, 145
Musk ambrette, contact and photocontact allergy, 667
Mycosis fungoides and light sensitivity (Correspondence), 642

Nail apparatus, malignant melanoma, 389
Nail formation, bone dependent, 371
Napkin dermatitis, herpetiform (Correspondence), 746
Naproxen and pseudoporphyria (Correspondence), 519
Necrobiotic xanthogranuloma: report of four cases, 241
Neisseria gonorrhoeae, *Chlamydia trachomatis* and herpes simplex virus and enzyme immunoassay (Summary), 728
Netherton's syndrome and neonatal hypernatraemia, 741
Neurological complications in T-cell lymphoma, 359
Neutrophilic spongiosis. A new entity? (Correspondence), 131
Neutrophilic urticaria (Correspondence), 393
Neutrophilic urticaria (Correspondence Reply), 393
News and Notices, 271, 399, 644, 750
Nodular prurigo (Correspondence), 521
Nodular prurigo (Correspondence Reply), 521

Oral-genital ulceration and dapsone (Correspondence), 640
Orf and chronic lymphocytic leukaemia, 631

Pachyonychia congenita Jackson-Lawler type, 367
Pancreatic adenocarcinoma and parapemphigus (Case Report), 719
Parapemphigus and adenocarcinoma of the pancreas (Case Report), 719
Pemphigus and rifampicin, 729
Pemphigus antibody and cytoskeletal response, 171
Peridermal granules in mammalian epidermis, 431
Photoageing, the role of UVB and UVA, 319
Photosensitive dermatitis with actinic reticuloid syndrome, 47
Pityriasis versicolor and oral itraconazole, 701
Pityrosporum orbiculare and seborrhoeic dermatitis, treatments compared, 695
Polymorphic light eruption, erythemal response to UVR, 103
Porphyria cutanea tarda, complement cleavage products, 567
Porphyria cutanea tarda iron removal, phlebotomy and desferrioxamine compared, 621
Procollagen type III peptide in methotrexate hepatic fibrosis (Correspondence), 520
Proteolytic enzymes in blister fluids in dermatitis herpetiformis, 295
Pseudoporphyria due to naproxen (Correspondence), 519
Pseudoxanthoma elasticum-like skin and D-penicillamine, 381
Psoriasis and cyclosporin A, 615
Psoriasis and short contact anthralin, 235
Psoriasis, arachidonic acid metabolism in blood cells, 553
Psoriasis, arachidonic acid metabolism in leukocytes, 57
Psoriasis, effect of Goeckerman therapy on interferon, 217
Psoriasis plaques treated with carbon dioxide laser, 489
Psoriasis scales and complement C3a, C4a and C5a, 1
Psoriatic and normal skin, differentiation antigens (Summary), 726
Psoriatic epidermis, presence of involucrin and transglutaminase, 279
Pustular dermatoses and complement C3a, C4a and C5a, 1
PUVA increases beta-adrenergic response, 413
Pyoderma gangrenosum (Case Report), 717
Pyoderma gangrenosum, subcorneal pustular dermatosis and IgA paraproteinaemia, 125

Raynaud's phenomenon treated, 527
Recombinant alpha A-interferon and keratinocytes, 273
Rifampicin and pemphigus, 729
Ritodine-responsive bullous pemphigoid with AIDS (Correspondence), 635
Ritodine-responsive bullous pemphigoid with AIDS (Correspondence Reply), 636
Rosacea, anti-oxidant action of metronidazole, 231

Schistosomiasis, cutaneous, in Nigeria, 597
Sebaceous and apocrine glands isolated, 181
Seborrhoeic dermatitis and *Piyrosporum orbiculare*, treatments compared, 695
Sebum excretion and topical spironolactone (Correspondence), 261
Sebum excretion rate, a direct gravimetric technique, 75
Skin blanching assay (Correspondence), 636
Skin changes in marrow transplantation, 161
Spironolactone topically and sebum excretion (Correspondence), 261
Squalene in acne, oxides in skin surface and comedones, 543
Squalene in acne, squalene oxidation, 535
Staphylococcal protein A reaction in skin of healthy, atopic and psoriatic subjects (Erratum), 272
Steroids topical, relative potencies (Correspondence), 638
Subcorneal pustular dermatosis, pyoderma gangrenosum and IgA paraproteinaemia, 125
Sweat gland tumours, lectin-binding, 451
Sweat glands, immunohistochemistry, 441
Syphilis with alopecia (Case Report), 718
Syphilitic skin, treponemata and inflammatory characterization (Summary), 727

T-cell leukaemia, two cases, 505
T-cell lymphoma and BE2 monoclonal antibody, 677
T-cell lymphoma, neurological complications, 359
T-cell lymphoma of the skin ?Hodgkin's disease (Case Report), 722
Toxic epidermal necrolysis, haematological disturbances and immune mechanisms, 255

Transglutaminase and involucrin in psoriatic skin, 279
Treatment of leg ulcers, two bandages compared, 227
Treponema pallidum, extra-cellular layer (Summary), 725
Treponemata and inflammatory characterization of syphilitic skin (Summary), 727
Trichothiodystrophy and hair weathering, 591

Ultraviolet radiation and erythemal response in polymorphic light eruption, 103
Ultraviolet radiation and immunosuppression, 197
Ultraviolet radiation exposure in dermatological departments, 479
Urticaria, chronic idiopathic, a serological mediator, 583
Urticaria, cold, and virus infections, 311
Urticaria, neutrophilic (Correspondence), 393
Urticaria, neutrophilic (Correspondence Reply), 393
UVA and UVB in photoageing, 319

Venous leg ulcers, two bandages compared, 227

Wallace's line (Correspondence), 513
Wire wool cutaneous delusions (Correspondence), 642
Wrinkles in ageing skin, 329

AUTHORS

ACHTEN, G. *see* GOENS, J.

ALCALAY, J., INGBER, A., DAVID, M. and SANDBANK, M. Erythromelanosis follicularis faciei in women (Correspondence), 267

ALLEN, B.R. *see* HANDFIELD-JONES, S.

ALLEN, B.R. *see* MAURICE, P.D.L.

ALTOMARE, G.F. *see* PIGATTO, P.D.

ANDERSON, M.G. *see* MUHLEMANN, M.F.

ASHTON, R.E. *see* MILLER, J.A.

ÅSTEDT, B. *see* BÉKÁSSY, Z.

ATKINSON, K., MUNRO, V., VASAK, E. and BIGGS, J. Mononuclear cell subpopulations in the skin defined by monoclonal antibodies after HLA-identical sibling marrow transplantation, 145

AUBÖCK, J., ROMANI, N., GRUBAUER, G. and FRITSCH, P. HLA-DR expression on keratinocytes is a common feature of diseased skin, 465

AVERY, N.C. *see* LIGHT, N.

AVVENTI, V. *see* CLEMENTI, M.

BAGUE, A. *see* SAINT-LEGER, D.

BAHMER, F.A. and ROHRER, C. Rapid and simple macrophotography of the skin (Correspondence), 135

BAILES, J.A. *see* NIELD, V.S.

BALAVOINE, J-F. *see* LEVY, P.M.

BARAN, R. and BRUN, P. Association between bullous pemphigoid and psoriasis (Correspondence), 516

BARAN, R. and JUHLIN, L. Bone dependent nail formation, 371

BARICORDI, O.R. *see* SENSI, A.

BARRIERE, H. *see* DRENO, B.

BATHER, P.C. *see* MAURICE, P.D.L.

BATISTA, G., SANTOS, A.N.C and SAMPAIO, S.A.P. Neutrophilic spongiosis. A new entity? (Correspondence), 131

BAUER, F.W., DE GROOD, R.M and VAN DE KERKHOF, P.C.M. Hyperdiploid cells in skin infiltrates (Correspondence), 136

BAUER, F.W., VAN DE KERKHOF, P.C.M. and MAASSEN-DE GROOD, R.M. Epidermal hyperproliferation following the induction of microabscesses by leukotriene B_4, 409

BÉKÁSSY, Z. and ÅSTEDT, B. Carbon dioxide laser vaporization of plaque psoriasis, 489

BELL, E. *see* COULOMB, B.

BENCINI, P.L., MONTAGNINO, G., CROSTI, C., SALA, F. and DE VECCHI, A. Acne in a kidney transplant patient treated with cyclosporin A (Correspondence), 396

BERNARD, B.A., REANO, A., DARMON, Y.M. and THIVOLET, J. Precocious appearance of involucrin and epidermal transglutaminase during differentiation of psoriatic skin, 279

BEUKERS, R. *see* VAN JOOST, TH.

BIGGS, J. *see* ATKINSON, K.

BJERKE, J.R. *see* LIVDEN, J.K.

BLACK, M.M. *see* MAYOU, S.

BLACK, M.M. *see* MEYRICK THOMAS, R.H.

BLACK, M.M. *see* ROWLAND PAYNE, C.M.E.

BLADON, P.T., BURKE, B.M., CUNLIFFE, W.J., FORSTER, R.A., HOLLAND, K.T. and KING, K. Topical azelaic acid and the treatment of acne: a clinical and laboratory comparison with oral tetracycline, 493

BLAND, J.M. *see* NIELD, V.S.

BLEEHEN, S.S. *see* MESSENGER, A.G.

BLITSTEIN-WILLINGER, E., HAAS, N., NÜRNBERGER, F. and STÜTTGEN, G. Immunological findings during treatment of multiple keratoacanthoma with etretinate, 109

BLOG, F.B. *see* HABETS, J.W.M.

BLOG, F.H. *see* MUNTENDAM, J.

BLUM, D. *see* GOENS, J.

BOER, A.M. *see* VAN DER SLUIS, J.J.

BORGHI, A. *see* ROCCHI, E.

BOTS, G.TH.A.M. *see* SENTIS, H.J.

BOYLE, J. and KENNEDY, C.T.C. Hydroquinone concentrations in skin lightening creams, 501

BOYLE, J. *see* DALY, H.M.

BRADFIELD, J.W. *see* GRATTAN, C.E.H.

BRANFOOT, A.C. *see* ROWLAND-PAYNE, C.M.E.

BREANNDAN MOORE, S. *see* POWELL, F.C.

BREATHNACH, S.M. Current understanding of the aetiology and clinical implications of cutaneous graft-versus-host disease, 139

BREITBURD, F. *see* COULOMB, B.

BROCHIER, J. *see* SCHMITT, D.

BROOKS, B. *see* FAIRRIS, G.M.

BROWN, B.E. *see* CHANG, J.C.

BRUN, P. *see* BARAN, R.

BRYCESON, A.D.M. *see* JOLLIFFE, D.S.

BUDTZ, P.E. Expectations of human kinetic homeostasis, 645

BUREAU, B. *see* DRENO, B.

BUREAU, B. *see* STALDER, J.F.

BURKE, B.M. *see* BLADON, P.T.

BURKE, B. *see* GREENWOOD, R.

BURNETT, A. *see* LEVER, R.

BURNS, D.A. *see* GRAHAM-BROWN, R.A.C.

BURTON, J.L. Delusions of cutaneous wire wool (Correspondence), 642

BURUMA, O.J.S. *see* SENTIS, H.J.

BYE, P. Comments on 'Conception during "Diane" therapy—a successful outcome' (Correspondence), 516

CALLENDAR, M. *see* LAVERY, H.A.

CALNAN, C.D. *see* WOJNAROWSKA, F.

CAMPBELL, W.C. *see* JONES, S.K.

CAMPLEJOHN, R.S. *see* NEWTON, J.A.

CARDIN DE STEFANI, E. *see* CLEMENTI, M.

CASSANELLI, M. *see* ROCCHI, E.

CAUWENBERGH, G. *see* DELESCLUSE, J.

CHANG, J.C., DALE, B.A., BROWN, B.E. and ELIAS, P.M. Histochemical and morphological studies on mammalian epidermal peridermal granules, 431

CHERRY, G.W. *see* COLVER, G.B.
CHIBA, M. and JIMBOW, K. Expression of gamma-glutamyl transpeptidase in normal and neoplastic epithelial cells of human skin: a marker for distinguishing malignant epithelial tumours, 459
CHIGNOL, M-C. *see* SCHMITT, D.
CHIVOT, M. *see* SAINT-LEGER, D.
CIRILLO, R. *see* PIGATTO, P.D.
CLEMENTI, M., CARDIN DE STEFANI, E., ROSSI, C.D., AVVENTI, V. and TENCONI, R. Pachyonychia congenita Jackson-Lawler type: a distinct malformation syndrome, 367
COAKER, T. *see* KEALEY, T.
COHEN, E. *see* SAINT-LEGER, D.
COLVER, G.B., JONES, R.L., CHERRY, G.W., DAWBER, R.P.R. and RYAN, T.J. Precise dermal damage with an infrared coagulator, 603
COLVER, G.B., MILLARD, P.R. and DAWBER, R.P.R. Atypical malignant melanoma of the nail apparatus, 389
COTTON, D.W.K. Immunohistochemical staining of normal sweat glands, 441
COULOMB, B., SAIAG, P., BELL, E., BREITBURD, F., LEBRETON, C.L., HESLAN, M. and DUBERTRET, L. A new method for studying epidermalization *in vitro*, 91
CREAM, J.J. *see* MUHLEMANN, M.F.
CROSTI, C. *see* BENCINI, P.L.
CROW, J. *see* MITCHELL, E.B.
CUNLIFFE, W.J. *see* BLADON, P.T.
CUNLIFFE, W.J. *see* GREENWOOD, R.
CUNLIFFE, W.J. *see* HOLLAND, D.B.
CUNLIFFE, W.J. *see* LOOKINGBILL, D.P.
CUNLIFFE, W.J. *see* WALTON, S.

DALE, B.A. *see* CHANG, J.C.
DALY, H.M., SCOTT, G.L., BOYLE, J. and ROBERTS, C.J.C. Methotrexate toxicity precipitated by azapropazone, 733
DARMON, Y.M. *see* BERNARD, B.A.
DAVID, M. *see* ALCALAY, J.
DAWBER, R.P.R. *see* COLVER, G.B.
DAWBER, R.P.R. *see* VENNING, V.A.
DAWSON, S.G. *see* MUHLEMANN, M.F.
DEGRE, M. *see* LIVDEN, J.K.
DE GREEF, H. *see* DELESCLUSE, J.
DE GROOD, R.M. *see* BAUER, F.W.
DEKIO, S. *see* ISHIMOTO, T.
DELESCLUSE, J., CAUWENBERGH, G. and DE GREEF, H. Itraconazole, a new orally active antifungal, in the treatment of pityriasis versicolor, 701
DE VECCHI, A. *see* BENCINI, P.L.
DICKSON, E.R. *see* POWELL, F.C.
DIFFEY, B.L. and FARR, P.M. The erythemal response to ultraviolet radiation in subjects with polymorphic light eruption, 103
DIFFEY, B.L. *see* LARKÖ, O.
DIKLAND, W.J. and ORANJE, A.P. Pyoderma gangrenosum (Case Report), 717
DOEGLAS, H.M.G., RIJNTEN, W.J., SCHRÖDER, F.P. and SCHIRM, J. Cold urticaria and virus infections: a clinical and serological study in 39 patients, 311
DOWD, P.M. The treatment of Raynaud's phenomenon, 527
DOWD, P.M. *see* MILLER, J.A.
DRENO, B., MILPIED, N., HAROUSSEAU, J.L., STALDER, J.F., BUREAU, B., MILPIED, B. and BARRIERE, H. Cutaneous immunological studies in diagnosis of acute graft-versus-host disease, 7
DRENO, B. *see* STALDER, J.F.
DUBERTRET, L. *see* COULOMB, B.
DUHRA, P. and TAN, C.Y. Lichen aureus (Correspondence), 395
DÜNDAR, S. Heritability of Behçet's disease (Correspondence Reply), 748

EAD, R.D. *see* MACDONALD, K.J.S.
ELIAS, P.M. *see* CHANG, J.C.
ERIKSSON, G. Comparison of two occlusive bandages in the treatment of venous leg ulcers, 227
EVANS, B.A. *see* MUHLEMANN, M.F.
EVANS, D.A. *see* JOLLIFFE, D.S.

FAERGEMANN, J. Seborrhoeic dermatitis and *Pityrosporum orbiculare*: treatment of seborrhoeic dermatitis of the scalp with miconazole-hydrocortisone (Daktacort), miconazole and hydrocortisone, 695
FAIRRIS, G.M., BROOKS, B. and TANNER, A. Elevated serum aminoterminal procollagen type III peptide in methotrexate-induced hepatic fibrosis (Correspondence), 520
FARR, P.M. *see* DIFFEY, B.L.
FARR, P.M. *see* SHARPE, G.
FERGUSON, D.J.P. *see* VENNING, V.A.
FINZI, A.F. *see* PIGATTO, P.D.
FONDU, P. *see* GOENS, J.
FOREMAN, J.C. *see* PIOTROWSKI, W.
FORSTER, R.A. *see* BLADON, P.T.
FRITSCH, P. *see* AUBÖCK, J.
FRY, L. *see* GRIFFITHS, C.E.M.
FRYER, P.R. *see* LIGHT, N.
FUJII, Y. *see* MATSUNAGA, E.
FULTON, R.A. Megaloblastic anaemia and methotrexate treatment (Correspondence), 267
FURUE, M., IWATA, M., TAMAKI, K. and ISHIBASHI, Y. Anatomical distribution and immunological characteristics of epidermolysis bullosa aquisita and bullous pemphigoid antigen, 651
FURUE, M. *see* TAMAKI, K.

GASKELL, S.A. *see* PEARSE, A.D.
GATTER, K.C. *see* RALFKIAER, E.
GAYLARDE, P.M. The human skin blanching assay (Correspondence), 636
GIACCHETTI, A. *see* PIGATTO, P.D.
GIBERTINI, P. *see* ROCCHI, E.
GIBSON, B. *see* LEVER, R.
GIBSON, J.R. and KIRSCH, J.M. Relative potencies of topical steroids (Correspondence), 638
GOENS, J., SONG, M., FONDU, P., BLUM, D. and ACHTEN, G. Haematological disturbances and immune mechanisms in toxic epidermal necrolysis, 255
GOWLAND, G. *see* HOLLAND, D.B.
GRAHAM-BROWN, R.A.C., LISTER, D.M. and BURNS,

D.A. Herpetiform napkin dermatitis: napkin dermatitis simulating an acute herpes simplex infection (Correspondence), 746
GRATTAN, C.E.H., WALLINGTON, T.B., WARIN, R.P., KENNEDY, C.T.C. and BRADFIELD, J.W. A serological mediator in chronic idiopathic urticaria—a clinical, immunological and histological evaluation, 583
GREENWOOD, R., BURKE, B. and CUNLIFFE, W.J. Evaluation of a therapeutic strategy for the treatment of acne vulgaris with conventional therapy, 353
GRIFFITHS, C.E.M. and FRY, L. Dermatitis herpetiformis (Correspondence Reply), 266
GRIFFITHS, C.E.M., LEONARD, J.N. and FRY, L. Dapsone therapy for oral-genital ulceration (Correspondence), 640
GRIFFITHS, W.A.D. *see* MILLER, J.A.
GRUBAUER, G. *see* AUBÖCK, J.

HAAS, N. *see* BLITSTEIN-WILLINGER, E.
HABBEMA, L., KISCH, L.S. and STARINK, TH.M. Familial malignant atrophic papulosis (Degos' disease)—additional evidence for heredity and a benign course (Correspondence), 134
HABETS, J.W.M., BLOG, F.B. and VAN JOOST, TH. Cutaneous T-cell lymphoma, a variant of Hodgkin's disease? (Case Report), 722
HAIGH, J.M., KANFER, K., MEYER, E. and SMITH, E. The human skin blanching assay—use and abuse (Correspondence Reply), 637
HAKIM, J. *see* STALDER, J.F.
HALLIDAY, G.M., KNIGHT, B.A. and MULLER, H.K. Reduction in murine Langerhans cell ATPase staining following topical but not systemic treatment with steroid and non-steroid immunosuppressants, 83
HAMADA, T. *see* TSUJI, T.
HANDFIELD-JONES, S., ALLEN, B.R. and LITTLEWOOD, S.M. Dapsone therapy for oral-genital ulceration (Correspondence Reply), 641
HANN, I. *see* LEVER, R.
HARDWICK, N. and MURRAY, A. Inflammation of actinic keratoses induced by cytotoxic drugs (Correspondence), 639
HARGREAVES, G.K. *see* MACDONALD, K.J.S.
HAROUSSEAU, J.L. *see* DRENO, B.
HARRIES, A.D. and TAYLOR, J. Erythema nodosum associated with invasive amoebiasis and giardiasis (Correspondence), 394
HARRINGTON, C.I. and MESSENGER, A.G. Dermatitis herpetiformis (Correspondence), 265
HARRISON, P.V. Liver ultrasound screening during methotrexate treatment (Correspondence), 749
HASHIMOTO, Y. *see* KAJITA, S.
HAYASHI, Y. *see* TSUJI, T.
HEPTINSTALL, S. *see* MAURICE, P.D.L.
HESLAN, M. *see* COULOMB, B.
HEULE, F. *see* VAN JOOST, TH.
HOLDEN, C.A., WINKELMANN, R.K. and WILSON JONES, E. Necrobiotic xanthogranuloma: a report of four cases, 241
HOLLAND, D.B., INGHAM, E., GOWLAND, G. and CUNLIFFE, W.J. IgG subclasses in acne vulgaris, 349
HOLLAND, K.T. *see* BLADON, P.T.
HOOD, A.F. *see* PFAU, R.G.
HOWEL, D. *see* LAWRENCE, C.M.
HU, F., MAH, K. and TERAMURA, D.J. Effects of dicarboxylic acids on normal and malignant melanocytes in culture, 17
HUNSKAAR, S. Giant orf in a patient with chronic lymphocytic leukaemia, 631

IIZUKA, H. *see* KAJITA, S.
IMAMURA, S. *see* MIYACHI, Y.
INGBER, A. *see* ALCALAY, J.
INGHAM, E. *see* HOLLAND, D.B.
INOUE, S. *see* KITAJIMA, Y.
INOUE, Y. *see* TAMAKI, K.
ISHIBASHI, Y. *see* FURUE, M.
ISHIMOTO, T., TAKAGAKI, K., DEKIO, S. and JIDOI, J. Cartilaginous naevus on the glabella (Correspondence), 516
IWATA, M. *see* FURUE, M.

JACOBS, H.S. *see* MILLER, J.A.
JENSEN, J. *see* ROCCHI, E.
JIDIO, J. *see* ISHIMOTO, T.
JIMBOW, K. *see* CHIBA, M.
JOLLIFFE, D.S., EVANS, D.A. and BRYCESON, A.D.M. Cutaneous leishmaniasis (Correspondence), 745
JONES, R.L. *see* COLVER, G.B.
JONES, S.K., CAMPBELL, W.C. and MACKIE, R.M. Short-contact dithranol therapy (Correspondence Reply), 519
JONES, S.K., THOMASON, L.M., SURBRUGG, S.K. and WESTON, W.L. Neonatal hypernatraemia in two siblings with Netherton's syndrome, 741
JUHLIN, L. *see* BARAN, R.

KÄHÖNEN, K. *see* REITAMO, S.
KAJITA, S., IIZUKA, H., HASHIMOTO, Y. and OHKAWARA, A. Topical PUVA treatment increases epidermal beta-adrenergic adenylate cyclase responsiveness, 413
KANAN, M.W. *see* VENNING, V.A.
KANFER, K. *see* HAIGH, J.M.
KANO, T. *see* MIYAGAWA, S.
KEALEY, T., LEE, C.M., THODY, A.J. and COAKER, T. The isolation of human sebaceous glands and apocrine sweat glands by shearing, 181
KECZKES, K. *see* WALTON, S.
KELLY, G.E., SHEIL, A.G.R., WASS, J. and ZBROJA, R.A. Effects of ultraviolet radiation and immunosuppressive therapy on mouse epidermal cell kinetics, 197
KENNEDY, C.T.C. *see* BOYLE, J.
KENNEDY, C.T.C. *see* GRATTAN, C.E.H.
KENNEDY, C.T.C. *see* MEYRICK THOMAS, R.H.
KEY, P.R. *see* MUHLEMANN, M.F.
KIISTALA, U. *see* OIKARINEN, A.I.
KING, K. *see* BLADON, P.T.
KIRBY, J.D.T. *see* LIGHT, N.
KIRSCH, J.M. *see* GIBSON, J.R.
KISCH, L.S. *see* HABBEMA, L.
KITAJIMA, Y., INOUE, S. and YAOITA, H. Effects of pemphigus antibody on the organization of microtu-

bules and keratin-intermediatae filaments in cultured human keratinocytes, 171
KNIGHT, B.A. *see* HALLIDAY, G.M.
KONOIKE, Y. *see* MIYAGAWA, S.
KONRAD, K. *see* RAPPERSBERGER, K.
KUKITA, A. *see* TAMAKI, K.

LARKO, Ö. and DIFFEY, B.L. Occupational exposure to ultraviolet radiation in dermatology departments, 479
LAVERY, H.A., PINKERTON, J.H.M. and CALLENDAR, M. Association between lichen sclerosus et atrophicus and primary biliary cirrhosis (Correspondence Reply), 515
LAWRENCE, C.M., HOWEL, D. and SHUSTER, S. Site variation in anthralin inflammation on forearm skin, 609
LEBRETON, C. *see* COULOMB, B.
LEFEBVRE, E. *see* SAINT-LEGER, D.
LEE, C.M. *see* KEALEY, T.
LEONARD, J.N. *see* GRIFFITHS, C.E.M.
LEVER, R., TURBITT, M., MACKIE, R., HANN, I., GIBSON, B., BURNETT, A. and WILLOUGHBY, M. A prospective study of the histological changes in the skin in patients receiving bone marrow transplants, 161
LEVY, P.M., BALAVOINE, J-F., SALOMON, D., MEROT, Y. and SAURAT, J-H. Ritodine-responsive bullous pemphigoid in a patient with AIDS-related complex (Correspondence), 635
LIGHT, N., MEYRICK THOMAS, R.H., STEPHENS, A., KIRBY, J.D.T., FRYER, P.R. and AVERY, N.C. Collagen and elastin changes in D-penicillamine-induced pseudoxanthoma elasticum-like skin, 381
LISTER, D.M. *see* GRAHAM-BROWN, R.A.C.
LITTLEWOOD, S.M. *see* HANDFIELD-JONES, S.
LIVDEN, J.K., BJERKE, J.R., DEGRE, M. and MATRE, R. The effect of Goeckerman therapy on interferon in serum and suction blister fluid from patients with psoriasis, 217
LOOKINGBILL, D.P. and CUNLIFFE, W.J. A direct gravimetric technique for measuring sebum excretion rate, 75
LOOKINGBILL, P. *see* WALTON, S.

MACDONALD, K.J.S. and MARKS, J. Short contact anthralin in the treatment of psoriasis: a study of different contact times, 235
MACDONALD, K. and RAFFLE, E.J. Ritodine-responsive bullous pemphigoid in a patient with AIDS-related complex (Correspondence Reply), 636
MACDONALD, K.J.S., HARGREAVES, G.K. and EAD, R.D. Longitudinal melanonychia during photochemotherapy (Correspondence), 395
MCGIBBON, D.H. *see* MEYRICK THOMAS, R.H.
MCGIBBON, D.H. *see* NEWTON, J.A.
MCKEE, P.H. *see* ROWLAND PAYNE, C.M.E.
MACKIE, R.M. *see* JONES, S.K.
MACKIE, R. *see* LEVER, R.
MCLEAN, D.I. and PETER, K.F. Apparent progression of lentigo maligna to invasive melanoma during treatment with topical azelaic acid, 685
MAASSEN-DE GROOD, R.M. *see* BAUER, F.W.
MAEDA, S. *see* MATSUNAGA, E.
MAH, K. *see* HU, F.
MARKS, J. *see* MACDONALD, K.J.S.
MARKS, J. *see* WALTON, S.
MARKS, R. *see* PEARSE, A.D.
MARSDEN, J. Hyperlipidaemia due to isotretinoin and etretinate: possible mechanisms and consequences, 401
MARSDEN, J.R. and MILLARD, L.G. Pyoderma gangrenosum, subcorneal pustular dermatosis and IgA paraproteinaemia, 125
MARSDEN, R.A. *see* NIELD, V.S.
MASON, D.Y. *see* RALFKIAER, E.
MATRE, R. *see* LIVDEN, J.K.
MATSUNAGA, E., FUJII, Y., SHIRAISHI, N., SEGUCHI, S., SHINKAI, H., TAKAYASU, S., YAMAMURA, T., MAEDA, S. and YAMAGUCHI, K. Two cases of adult T-cell leukaemia, 505
MAURICE, P.D.L., ALLEN, B.R., HEPTINSTALL, S. and BATHER, P.C. Arachidonic acid metabolism by peripheral blood cells in psoriasis, 553
MAURICE, P.D.L., BATHER, P.C. and ALLEN, B.R. Arachidonic acid metabolism by polymorphonuclear leukocytes in psoriasis, 57
MAYOU, S. and BLACK, M.M. Pseudoporphyria due to naproxen (Correspondence), 519
MEROT, Y. *see* LEVY, P.M.
MESSENGER, A.G., SENIOR, H.J. and BLEEHEN, S.S. The *in vitro* properties of dermal papilla cell lines established from human hair follicles, 425
MESSENGER, A.G., SLATER, D.N. and BLEEHEN, S.S. Alopecia areata: alterations in the hair growth cycle and correlation with the follicular pathology, 337
MESSENGER, A.G. *see* HARRINGTON, C.I.
MEYER, E. *see* HAIGH, J.M.
MEYRICK THOMAS, R.H. and KENNEDY, C.T.C. The development of lichen sclerosus et atrophicus in monozygotic twin girls, 377
MEYRICK THOMAS, R.H., RIDLEY, C.M., MCGIBBON, D.H. and BLACK, M.M. Association between lichen sclerosus et atrophicus and primary biliary cirrhosis (Correspondence), 514
MEYRICK THOMAS, R.H. *see* LIGHT, N.
MICHEL, M.F. *see* VAN ULSEN, J.
MIDTGAARD, K. A new device for the treatment of hyperhidrosis by iontophoresis, 485
MILLARD, L.G. *see* MARSDEN, J.R.
MILLARD, P.R. *see* COLVER, G.B.
MILLER, J.A., WOJNAROWSKA, F.T., DOWD, P.M., ASHTON, R.A., O'BRIEN, T.J., GRIFFITHS, W.A.D. and JACOBS, H.S. Anti-androgen treatment in women with acne—a controlled trial, 705
MILPIED, B. *see* DRENO, B.
MILPIED, N. *see* DRENO, B.
MITCHELL, E.B., CROW, J., WILLIAMS, G. and PLATTS-MILLS, T.A.E. Increase in skin mast cells following chronic house dust mite exposure, 65
MIYACHI, Y., IMAMURA, S. and NIWA, Y. Anti-oxidant action of metronidazole: a possible mechanism of action in rosacea, 231
MIYAGAWA, S., YAMASHINA, Y., OKUCHI, T., KONOIKE,

Y., KANO, T. and SAKAMOTO, K. Exacerbation of pemphigus by rifampicin, 729
MONTAGNINO, G. *see* BENCINI, P.L.
MORISON, W.L. *see* PFAU, R.G.
MUHLEMANN, M.F., ANDERSON, M.G., PARADINAS, F.J., KEYS, P.R., DAWSON, S.G., EVANS, B.A., MURRAY-LYON, I.M. and CREAM, J.J. Early warning skin signs in AIDS and persistent generalized lymphadenopathy, 419
MULLER, H.K. *see* HALLIDAY, G.M.
MÜLLER, R. *see* STADLER, R.
MUNRO, V. *see* ATKINSON, K.
MUNTENDAM, J., BLOG, F.B. and VAN JOOST, TH. Parapemphigus and adenocarcinoma of the pancreas (Case Report), 719
MURRAY, A. *see* HARDWICK, N.
MURRAY-LYON, I.M. *see* MUHLEMANN, M.F.

NEILD, V.S., MARSDEN, R.A., BAILES, J.A. and BLAND, J.M. Egg and milk exclusion diets in atopic eczema, 117
NEWTON, J.A., CAMPLEJOHN, R.S. and MCGIBBON, D.H. Aneuploidy in Bowen's disease, 691
NIWA, Y. *see* MIYACHI, Y.
NOBLE, W.C. *see* WHITE, M.I.
NOTOWICZ, A. *see* VAN ULSEN, J.
NÜRNBERGER, F. *see* BLITSTEIN-WILLINGER, E.

OBASI, O.E. Cutaneous schistosomiasis in Nigeria. An update, 597
O'BRIEN, T.J. *see* MILLER, J.A.
OHARA, K. *see* TAMAKI, K.
OHKAWARA, A. *see* KAJITA, S.
OHKOHCHI, K. *see* TAKEMATSU, H.
OIKARINEN, A.I., REUNALA, T., ZONE, J.J., KIISTALA, U. and UITTO, J. Proteolytic enzymes in blister fluids from patients with dermatitis herpetiformis, 295
OKUCHI, T. *see* MIYAGAWA, S.
ORANJE, A.P. *see* DIKLAND, W.J.
ORFANOS, C.E. *see* STADLER, R.
OXHOLM, A. and THOMSEN, K. Megaloblastic anaemia and methotrexate treatment (Correspondence), 268

PADBERG, G. *see* SENTIS, H.J.
PANTALEONI, M. *see* ROCCHI, E.
PARADINAS, F.J. *see* MUHLEMANN, M.F.
PEARSE, A.D., GASKELL, S.A. and MARKS, R. The effects of an aromatic retinoid (etretinate) on epidermal cell production and metabolism in normal and ichthyotic patients, 285
PEHAMBERGER, H. *see* STEINER, A.
PETER, K.K. *see* MCLEAN, D.I.
PETERS, M.S. and WINKELMANN, R.K. The histopathology of localized lipoatrophy, 27
PFAU, R.G., HOOD, A.F. and MORISON, W.L. Photoageing: the role of UVB, solar-simulated UVB, visible and psoralen UVA radiation, 319
PIETRANGELO, A. *see* ROCCHI, E.
PIGATTO, P.D., POLENGHI, M.M., ALTOMARE, G.F., GIACCHETTI, A., CIRILLO, R. and FINZI, A.F. Complement cleavage products in the phototoxic reaction of porphyria cutanea tarda, 567
PINKERTON, J.H.M. *see* LAVERY, H.A.
PIOTROWSKI, W. and FOREMAN, J.C. Some effects of calcitonin gene-related peptide in human skin and on histamine release, 37
PLATTS-MILLS, T.A.E. *see* MITCHELL, E.B.
POLENGHI, M.M. *see* PIGATTO, P.D.
POWELL, F.C., ROGERS, R.S., DICKSON, E.R. and BREANNDAN MOORE, S. An association between HLA DR1 and lichen planus, 473

RAFFLE, E.J. *see* MACDONALD, K.
RALFKIAER, E., GATTER, K.C., WANTZIN, G.L., THOMSEN, K. and MASON, D.Y. Immunohistological reactivity pattern of the anti-cutaneous T-cell lymphoma antibody BE2, 677
RALFKIAER, E., WANTZIN, G.L., STEIN, H. and MASON, D.Y. Photosensitive dermatitis with actinic reticuloid syndrome: an immunohistological study of the cutaneous infiltrate, 47
RAPPERSBERGER, K., KONRAD, K., WIESER, E., WEBER, H. and WOLFF, K. Morphological changes in peripheral blood cells and skin in amiodarone-treated patients, 189
REANO, A. *see* BERNARD, B.A.
REITAMO, S., VISA, K., KÄHÖNEN, K., KÄYHKÖ, K., STUBB, S. and SALO, O.P. Eczematous reactions in atopic patients caused by epicutaneous testing with inhalant allergens, 303
REUNALA, T. *see* OIKARINEN, A.I.
RIDLEY, C.M. *see* MEYRICK THOMAS, R.H.
RIJNTEN, W.J. *see* DOEGLAS, H.M.G.
ROBERTS, C.J.C. *see* DALY, H.M.
ROCCHI, E., GIBERTINI, P., CASSANELLI, M., PIETRANGELO, A., BORGHI, A., PANTALEONI, M., JENSEN, J. and VENTURA, E. Iron removal therapy in porphyria cutanea tarda: phlebotomy versus slow subcutaneous desferrioxamine infusion, 621
ROGERS, R.S. *see* POWELL, F.C.
ROHRER, C. *see* BAHMER, F.A.
ROMANI, N. *see* AUBÖCK, J.
ROONEY, N. *see* SLATER, D.
ROSSI, C.D. *see* CLEMENTI, M.
ROWLAND PAYNE, C.M.E. and BRANFOOT, A.C. Wallace's line (Correspondence), 513
ROWLAND PAYNE, C.M.E., WILKINSON, J.D., MCKEE, P.H., JURECKA, W. and BLACK, M.M. Nodular prurigo (Correspondence Reply), 521
RUSSELL JONES, R. Nodular prurigo (Correspondence), 521
RYAN, T.J. *see* COLVER, G.B.
RYSTEDT, I., STRANNEGARD, I.L. and STRANNEGARD, O. Recurrent viral infections in patients with past or present atopic dermatitis, 575

SAIAG, P. *see* COULOMB, B.
SAINT-LEGER, D., BAGUE, A., COHEN, E. and CHIVOT, M. A possible role for squalene in the pathogenesis of acne. I. *In vitro* study of squalene oxidation, 535
SAINT-LEGER, D., BAGUE, A., LEFEBVRE, E., COHEN, E. and CHIVOT, M. A possible role for squalene in the pathogenesis of acne. II. *In vivo* study of squalene

oxides in skin surface and intra-comedonal lipids of acne patients, 543
SAKOMOTO, K. *see* MIYAGAWA, S.
SALA, F. *see* BENCINI, P.L.
SALO, O.P. *see* REITAMO, S.
SALOMON, D. *see* LEVY, P.M.
SAMPAIO, S.A.P. *see* BATISTA, G.
SANDBANK, M. *see* ALCALAY, J.
SANTOS, A.N.C. *see* BATISTA, G.
SAURAT, J-H. *see* LEVY, P.M.
SCHIFT, R. Oral and vulvar aphthous ulcers (Case Report), 723
SCHIRM, J. *see* DOEGLAS, H.M.G.
SCHMITT, D., CHIGNOL, M-C., BROCHIER, J. and THIVOLET, J. HB8: a monoclonal antibody recognizing elastic fibre microfibrils, 661
SCHONK, D.M., VAN DIJK, G., VAN DER SLUIS, J.J., VAN DER KAMP, A.W.M. and VAN JOOST, TH. Differentiation antigens in normal and psoriatic skin (Summary), 726
SCHRÖDER, F.P. *see* DOEGLAS, H.M.G.
SCOTT, G.L. *see* DALY, H.M.
SEGUCHI, S. *see* MATSUNAGA, E.
SEKI, Y. *see* TAMAKI, K.
SENIOR, H.J. *see* MESSENGER, A.G.
SENSI, A. and BARICORDI, O.R. Heritability of Behçet's disease (Correspondence), 748
SENTIS, H.J., PADBERG, G., BURUMA, O.J.S., BOTS, G.TH.A.M., WILLEMZE, R. and VAN VLOTEN, W.A. Neurological complications in patients with cutaneous T-cell lymphoma, 359
SHARPE, G. and FARR, P.M. Short-contact dithranol therapy (Correspondence), 518
SHEIL, A.G.R. *see* KELLY, G.E.
SHINKAI, H. *see* MATSUNAGA, E.
SHIRAISHI, N. *see* MATSUNAGA, E.
SHUSTER, S. *see* LAWRENCE, C.M.
SLATER, D. and ROONEY, N. Light sensitivity versus mycosis fungoides (Correspondence), 642
SLATER, D.N. *see* MESSENGER, A.G.
SMITH, E. *see* HAIGH, J.M.
SONG, M. *see* GOENS, J.
STALDER, R., MÜLLER, R. and ORFANOS, C.E. Effect of recombinant alpha A-interferon on DNA synthesis and differentiation of human keratinocytes *in vitro*, 273
STALDER, J.F., DRENO, B., BUREAU, B. and HAKIM, J. Discoid lupus erythematous-like lesions in an autosomal form of chronic granulomatous disease, 251
STALDER, J.F. *see* DRENO, B.
STARINK, TH.M. *see* HABBEMA, L.
STEIN, H. *see* RALFKIAER, E.
STEINER, A., WOLF, C., PEHAMBERGER, H. and WOLFF, K. Late metastases of cutaneous malignant melanoma, 737
STEPHENS, A. *see* LIGHT, N.
STOLZ, E. *see* TEN KATE, F.J.W.
STOLZ, E. *see* VAN JOOST, TH.
STOLZ, E. *see* VAN ULSEN, J.
STRANNEGARD, I.L. *see* RYSTEDT, I.
STRANNEGARD, O. *see* RYSTEDT, I.
STUBB, S. *see* REITAMO, S.
STÜTTGEN, G. *see* BLITSTEIN-WILLINGER, E.
SURBRUGG, S.K. *see* JONES, S.K.

TAGAMI, H. *see* TAKEMATSU, H.
TAKAGAKI, K. *see* ISHIMOTO, T.
TAKAYASU, S. *see* MATSUNAGA, E.
TAKEMATSU, H. and TAGAMI, H. Eosinophilic pustular folliculitis. Studies on possible chemotactic factors involved in the formation of pustules, 209
TAKEMATSU, H., OHKOHCHI, K. and TAGAMI, H. Demonstration of anaphylatoxins C3a, C4a and C5a in the scales of psoriasis and inflammatory pustular dermatoses, 1
TAMAKI, K., FURUE, M., SEKI, Y., INOUE, Y., TSUCHIDA, T., OHARA, K. and KUKITA, A. Lectin-binding sites in eccrine sweat gland tumours, 451
TAMAKI, K. *see* FURUE, M.
TAN, C.Y. *see* DUHRA, P.
TANNER, A. *see* BROOKS, B.
TAYLOR, J. *see* HARRIES, A.D.
TENCONI, R. *see* CLEMENTI, M.
TEN KATE, F.J.W., VAN DE SLUIS, J.J. and STOLZ, E. Demonstration of treponemata and characterization of the inflammatory infiltrate in skin biopsies from patients with early syphilis (Summary), 727
TERAMURA, D.J. *see* HU, F.
THIVOLET, J. *see* BERNARD, B.A.
THIVOLET, J. *see* SCHMITT, D.
THODY, A.J. *see* KEALEY, T.
THOMASON, L.M. *see* JONES, S.K.
THOMSEN, K. *see* OXHOLM, A.
THOMSEN, K. *see* RALFKIAER, E.
TJIAM, K.H. A comparison of two culture methods for the diagnosis of chlamydial infections (Summary), 727
TJIAM, K.H. *see* VAN ULSEN, J.
TSUCHIDA, T. *see* TAMAKI, K.
TSUJI, T., YORIFUJI, T., HAYASHI, Y. and HAMADA, T. Light and scanning electron microscopic studies on wrinkles in aged persons' skin, 329
TURBITT, M. *see* LEVER, R.

UITTO, J. *see* OIKARINEN, A.I.

VAN DE KERKHOF, P.C.M. *see* BAUER, F.W.
VAN DER KAMP, A.W.M. *see* SCHONK, D.M.
VAN DER MAAS, A.P.C. *see* VAN ULSEN, J.
VAN DER SLUIS, J.J. and BOER, A.M. Evidence for an extracellular layer around freshly harvested *Treponema pallidum* (Nichols) (Summary), 725
VAN DER SLUIS, J.J. *see* SCHONK, D.M.
VAN DER SLUIS, J.J. *see* TEN KATE, F.J.W.
VAN DER WILLIGEN, A.H. 'Moth-eaten' alopecia in a case of secondary syphilis (Case Report), 718
VAN DIJK, G. *see* SCHONK, D.M.
VAN JOOST, TH., HEULE, F., STOLZ, E. and BEUKERS, R. Short-term use of cyclosporin A in severe psoriasis, 615
VAN JOOST, TH. *see* HABETS, J.W.M.
VAN JOOST, TH. *see* MUNTENDAM, J.
VAN JOOST, TH. *see* SCHONK, D.M.
VAN JOOST, TH. *see* VAN ULSEN, J.

VAN ULSEN, J., NOTOWICZ, A. and VAN DER MAAS, A.P.C. Crohn's disease of the vulva (Case Report), 721
VAN ULSEN, J., VAN ZUUREN, A., TJIAM, K.H., MICHEL, M.F., VAN JOOST, TH. and STOLZE, E. The use of solid phase enzyme immunoassay (EIA) for the detection of *Neisseria gonorrhoeae*, *Chlamydia trachomatis* and herpes simplex virus (Summary), 728
VAN VLOTEN, W.A. *see* SENTIS, H.J.
VAN ZUUREN, A. *see* VAN ULSEN, J.
VASAK, E. *see* ATKINSON, K.
VELLA BRIFFA, D. Cutaneous leishmaniasis (Correspondence Reply), 746
VENNING, V.A., DAWBER, R.P.R., FERGUSON, D.J.P. and KANAN, M.W. Weathering of hair in trichothiodystrophy, 591
VENTURA, E. *see* ROCCHI, E.
VISA, K. *see* REITAMO, S.

WALLINGTON, T.B. *see* GRATTAN, C.E.H.
WALTON, S. and MARKS, J. Bullous amyloidosis (Correspondence), 264
WALTON, S., CUNLIFFE, W.J., LOOKINGBILL, P. and KECZKES, K. Lack of effect of topical spironolactone on sebum excretion (Correspondence), 261
WANTZIN, G.L. *see* RALFKIAER, E.
WARIN, R.P. Neutrophilic urticaria (Correspondence), 393
WARIN, R.P. *see* GRATTAN, C.E.H.
WASS, J. *see* KELLY, G.E.
WEBER, H. *see* RAPPERSBERGER, K.
WESTON, W.L. *see* JONES, S.K.
WHITE, M.I. and NOBLE, W.C. The cutaneous reaction to staphylococcal protein A in normal subjects and patients with atopic dermatitis or psoriasis (Erratum), 272
WIESER, E. *see* RAPPERSBERGER, K.
WILKINSON, J.D. *see* ROWLAND PAYNE, C.M.E.
WILLEMZE, R. *see* SENTIS, H.J.
WILLIAMS, G. *see* MITCHELL, E.B.
WILLOUGHBY, M. *see* LEVER, R.
WILSON JONES, E. *see* HOLDEN, C.A.
WINKELMANN, R.K. Neutrophilic urticaria (Correspondence Reply), 393
WINKELMANN, R.K. *see* HOLDEN, C.A.
WINKELMANN, R.K. *see* PETERS, M.S.
WOJNAROWSKA, F. and CALNAN, C.D. Contact and photocontact allergy to musk ambrette, 667
WOJNAROWSKA, F.T. *see* MILLER, J.A.
WOLF, C. *see* STEINER, A.
WOLFF, K. *see* RAPPERSBERGER, K.
WOLFF, K. *see* STEINER, A.

YAMAGUCHI, K. *see* MATSUNAGA, E.
YAMAMURA, T. *see* MATSUNAGA, E.
YAMASHINA, Y. *see* MIYAGAWA, S.
YAOITA, H. *see* KITAJIMA, Y.
YORIFUJI, T. *see* TSUJI, T.

ZBROJA, R.A. *see* KELLY, G.E.
ZONE, J.J. *see* OIKARINEN, A.I.